# **Psych CE**

## **Evaluating the Therapeutic Value of Psychedelics**

#### 1. The ban on psychedelic drugs in the United States was driven by all except

- A. the rise of the counterculture
- B. Vietnam War Protests
- C. lack of standards in clinical trials
- D. recreational drug use

### 2. Most psychedelics are labeled as Schedule 1 drugs meaning they have

- A. they have a high risk of abuse and no accepted medical use
- B. they have a high risk of abuse but have medical use
- C. they have a low risk of abuse and no accepted medical use
- D. they have a low risk of abuse and medical use

#### 3. Classic psychedelics are

- A. dopamine receptor agonists
- B. glutamate receptor agonists
- C. norepinephrine agonist
- D. serotonin agonist

#### 4. Psilocybin is also known colloquially as

- A. ecstacy
- B. magic mushrooms
- C. lucy
- D. dots

#### 5. LSD is made by combining the chemical diethyl-amide with the natural occurring fungus

- A. psilocybin
- B. ergot
- C. peyote
- D. ibogaine

#### 6. Mescaline is derived from

A. a flowering plant

B. a shrub	
C. a cactus	
D. a fungus	
7. DMT is also known as the f	or people's report of the profound life changing experiences.
A. spirit molecule	
B. Special K	
C. magic mushroom	
D. ecstacy	
8. Ketamine has always been a legal d	lrug used as
A. a pain killer	
B. a stimulant	
C. a sleep aid	
D. an anesthetic	
9. Due to it's creating feelings of euph	noria and connectedness MDMA is classified as
A. a vasopressin	
B. an entactogen	
C. a depressant	
D. a stimulant	
10. This psychedelic has shown a redu and use, and even a complete cessatio	uction in withdrawal symptoms, reductions in drug cravings on of drug use.
A. Ibogaine	
B. MDMA	
C. Ketamine	
D. LSD	
11. One way psychedelics work is by ithe threat sensitivity, this helps treat	increasing the serotonergic signaling which in turn decreases anxiety and depression by
A. increasing hyper-connectivity	
B. increasing amygdala reactivity	
C. reducing modulation of glutamate	
D. reducing the negative cognitive b	ıas
12. One theory on how psychedelics w	vork is
A. by reseting a persons default mod	de network

<ul><li>B. they are only effective with psychotherapy</li><li>C. by stimulating numerous neurotransmitters at once</li><li>D. by decreasing overproduction of hormones</li></ul>
13. Researchers are still trying to understand the correlation of how improves therapeutic outcomes.
A. classic psychedelics
<ul><li>B. non-classic psychedelics</li><li>C. mystical-type experiences</li></ul>
D. psychedelic tourism
14 is experienced whenever humans encounter stimuli so vast and novel that they must alter their understanding of reality.
A. Reality
B. Awe C. Rumination
D. Empathy
15. In most clinical trials and treatment models the consists of rapport building, history gathering, and psychoeducation.
A. preparation session
<ul><li>B. dosing session</li><li>C. integration session</li></ul>
D. follow-up session
16. In most clinical trials and treatment models the consists of experience and insights being explored and reinforcing the desired changes.
being explored and reinforcing the desired changes.  A. preparation session
being explored and reinforcing the desired changes.  A. preparation session  B. dosing session
being explored and reinforcing the desired changes.  A. preparation session
being explored and reinforcing the desired changes.  A. preparation session B. dosing session C. integration session
being explored and reinforcing the desired changes.  A. preparation session B. dosing session C. integration session D. follow-up session  17. The is to protect the safety and welfare of participants and outline principles governing treatment decisions made by providers.  A. confidentiality
A. preparation session B. dosing session C. integration session D. follow-up session  17. The is to protect the safety and welfare of participants and outline principles governing treatment decisions made by providers.  A. confidentiality B. therapeutic alliance
being explored and reinforcing the desired changes.  A. preparation session B. dosing session C. integration session D. follow-up session  17. The is to protect the safety and welfare of participants and outline principles governing treatment decisions made by providers.  A. confidentiality

<ul> <li>18. These are the three main risks associated with psychedelic therapy except</li> <li>A. potential for a bad trip</li> <li>B. sertonin agonist</li> <li>C. potential to trigger an underlying psychotic disorder</li> <li>D. short-term physiological reactions</li> </ul>	
A. micro-dosing B. macrodosing C. mezzodosing D. mixed dosing	
20. The FDA approved on a limited basis to treat major depressive disorder and treatment resisant depression.	
A. Ketamine B. Esketamine C. MDMA D. DMT	

Copyright © 2025 Psych CE

Visit us at https://www.psychce.com